Abstract:

The present invention provides for the use of radiation-curable coating compositions comprising at least one radiation-curable organopolysiloxane having (meth)acrylic ester groups and a photoinitiator, wherein said photoinitiator includes at least one compound of the general formula



in which

R^1 is a linear or branched alkyl radical having 3 to 18 carbon atoms, preferably 4 to 12 carbon atoms,

R^2 is an alkyl radical having 1 to 4 carbon atoms, preferably hydrogen,

R^3, R^4 are alkyl radicals having 1 to 6 carbon atoms, which may also have been linked to form a 5- or 6-membered carbon ring or one of these radicals may also be hydrogen, and

R^5 is an alkyl or alkanoyl radical, preferably hydrogen;

for preparing abhesive coating materials and producing abhesive coatings.